

ARJOHUNTLEIGH

GETINGE GROUP

ENTERPRISE 9000 MEDICAL BED



...with people in mind

DEDICATED TO PATIENT CARE



The needs of your patients are challenging and complex, which is why you need a state-of-the-art hospital bed that is:

- Reliable
- Simple to use
- Rapidly adjustable in an emergency
- Able to effortlessly position your patients for physiological and clinical needs
- Able to provide constant, accurate weight monitoring
- Safe – for you and your patients
- Simple to clean
- Easy to maintain and service

The *Enterprise*® 9000 beds with their patented profiling system, integrated weigh scale, bed exit alarm and under bed anti-entrapment sensors are designed with all the above in mind. Which means you get to deliver the best possible care efficiently, consistently and safely.



HOW DO YOU REDUCE RISK?

Risk management is a major concern in hospitals today. The *Enterprise 9000* bed has been designed to help minimize risks associated with hospital beds.

Falls

- **Low height** – An exceptional low height of 11 ¾" (300 mm) is a key advantage for reducing the risk of injury through falls.
- **Bed exit alarm** – When enabled, the bed exit alarm alerts medical staff if the patient attempts to leave the bed. Sensitivity of the system can be adjusted to detect less/more movement, depending upon requirements.
- **Under bed light** – Helps to reduce the risk of falls at night.

Moving and Handling

The *Enterprise 9000* bed is lightweight and easy to maneuver, yet offers a safe working load of 550 lbs (250 kg), making it easier to safely accommodate heavier patients.

Entrapment

The bed incorporates an under bed anti-entrapment system, which detects objects under the bed, reducing the risk of entrapment. The safety side rail design helps minimize the risk of entrapment issues.

Profiling


The patented Bio-Contour® profiling system blends a unique combination of bed section movements with a curved mattress platform.

Infection Control

The *Enterprise 9000* bed is designed with open architecture and easily removable components, to assist in cleaning and decontamination procedures.



- Our one-button feature, with simple to understand icons, enables the caregiver to adjust the bed into a cardiac chair position with ease.



- A backrest angle of 30 degrees is easily achieved on the *Enterprise 9000*. When adjusted, the backrest will pause at an angle of 30 degrees, ensuring easy and positive backrest adjustment, time after time.



- The integrated nurse call feature on the *Enterprise 9000* is positioned for optimal patient access. Optional two way speakers allow for remote communications between caregiver and patient.



**PREVENT PROBLEMS
BEFORE THEY HAPPEN**

STRAIGHT FORWARD, SMART...

Integrated Weigh Scale

The *Enterprise 9000* bed is a Med-Surg electric profiling bed with a simple to use integrated weigh scale. It can weigh up to 550 lbs (250 kg) with an accuracy of ± 1.1 lbs (500g). Weighing can be carried out with the bed in any position, and an auto compensation facility allows objects to be added to, or taken away from the bed without affecting the patient's weight reading.

Bed Exit Alarm

When enabled, the bed exit alarm function will detect when the patient has exited the bed, and trigger an audible alarm to alert medical staff.

Anti-Entrapment System

The anti-entrapment sensors can detect an object/person underneath the bed. The bed will automatically stop lowering until the obstruction is removed, reducing the risk of entrapment to the patient, staff or equipment.



...AND SAFE

Anti-entrapment sensors underneath the bed



THE ART OF ENGINEERING, INSPIRED BY DESIGN



Plug-in Controls

The patient and nurse controls are designed to simply slot in and click into place, making changes and maintenance extremely quick and easy.

Servicing

Designed for “pit stop maintenance” – open accessibility means changes such as actuator, control box and battery can be carried out on site within a few minutes by one person.



Plastic Molding

The head and foot panels, mattress platform and split safety side rails are made from blow-molded plastic, which is easy to clean, lightweight and very robust.

DO YOU EVER WISH THINGS COULD BE LESS COMPLICATED?



One Button Push

Our one button push controls are intuitive and easy to use, thanks to clear and simple icons. The functions can be quickly accessed via one button push. One touch functions can also be used for key features such as;

- Extra low height (11 ¾" / 300mm)
- Bio-contour
- Cardiac chair position
- 30 degree backrest angle



Weigh Scale

Controls for the integrated easy-to-use weigh scale are conveniently located within the bed side rail.

Bed Exit Alarm

Simple push button controls are provided to enable/disable the bed exit alarm.

Digital Angle Indicator

A digital angle indicator on the weighing control panel displays the angle of the bed sections when profiled and also the angle of Trendelenburg/Reverse Trendelenburg tilt.



Auto-contour

The single auto-contour button places the patient in an excellent profile position even at the bed's lowest height.

Lockouts

The nurse can choose to lock out some or all of the bed functions as required.

CPR

A flat CPR position is rapidly achieved by pushing a single button on either side of the frame, or by activating one of the dual-sided CPR levers.





IN FACT, THEY CAN BE REFRESHINGLY SIMPLE



HEAD/FOOT PANEL INFILL OPTIONS



Blue (Standard)



Sea Blue



Light Blue



White



Stars & Stripes

ENTERPRISE FEATURES

FEATURES	9800	9700	9600
Split safety sides with built-in patient and nurse controls	•	•	•
Electrically operated backrest, knee-break, height and calf adjustment	•	•	•
Electrically operated Trendelenburg / Reverse Trendelenburg tilt	±12°	±12°	±12°
Selection of calf section raised / lowered	•	•	•
Chair position at lowest height	•	•	•
Auto-contour button	•	•	•
Battery back-up	•	•	•
Bio-Contour profiling system	•	•	•
Lockout switches on Attendant Control Panel	•	•	•
Auto-CPR button	•	•	•
Dual-sided CPR levers	•	•	•
Height range	12" - 30"	12" - 30"	12" - 30"
Digital angle indicator for backrest, knee-break, calf section and Trendelenburg / Reverse Trendelenburg	•	•	•
Built-in bed extension with mattress retainer	•	•	•
Pull-out linen shelf with duvet retainer	•	•	•
Removable head and foot panels with choice of color infills	•	•	•
X-ray translucent backrest and cassette carrier	(•)	(•)	(•)
Removable plastic deck sheets	•	•	•
Underbed anti-entrapment system	•	•	•
Integrated weigh scale accurate to ±1.1 lbs	•	•	•
Varizone™ bed exit alarm	•	•	•
Environmental controls	•		
Nurse call - Two way	•	•	
Nurse call - One way			•
Minimal transfer gap	•	•	•
5" single-wheel castors	•	•	•
Under-bed light	•	•	•
Backlighting on controls	•	•	•
Safe working load	550 lbs	550 lbs	550 lbs
Overall length	89 3/4"	89 3/4"	89 3/4"
Overall length – extended	94 1/2"	94 1/2"	94 1/2"
Overall width (safety side rails up)	41"	41"	41"
Overall width (safety sides down)	39"	39"	39"
Platform size	35x80"	35x80"	35x80"
Platform size - extended	35x84"	35x84"	35x84"

• Standard (•) Optional

The *Enterprise 9000* bed range is compatible with a wide range of pressure redistributing mattresses. Please contact your local representative for more details.

The *Enterprise 9000* bed range has been designed to comply with the current the IEC60601-2-38 side rail entrapment reduction guidelines. (The International Standard for Electrically Actuated Hospital Beds). UL 60601-1 CAN/CSA-C22.2 No.601.1-M90 IEC 60601-1-2 EMC.

The *Enterprise 9000* weighing system complies to 90/384/EEC the *Non-Automatic Weighing Instruments Directive*.



Optional X-ray backrest

Product information

Safe Working Load (SWL)	550 lbs (250 kg)
Overall length	89 ¾" (2280 mm)
Overall length extended	94 ½" (2400 mm)
Standard mattress size	35" x 80" (889 x 2030 mm)
Overall width (safety sides up)	41" (1040 mm)
Overall width (safety sides down)	39" (990 mm)
Height range	11 ¾ - 30" (300 - 770 mm)
Trendelenburg / Reverse Trendelenburg	±12°

Electrical Data

Power in (a.c. 60 Hz)	5.8 A at 120 V
Power in (a.c. 50 Hz)	3.0 A at 230 V
Electrical shock protection	Class 1, Type B
Liquid ingress protection	IPX4
Batteries	2 x 12 V series connected, sealed, rechargeable, lead/acid gel 1.2 amp hrs

Printed in USA • 01.MIB.04.2.US:1.AHG • Entrps90000BP_broch_012512_2

ARJOHUNTLEIGH

GETINGE GROUP

GETINGE GROUP is a leading global provider of products and systems that contribute to quality enhancement and cost efficiency within healthcare and life sciences. We operate under the three brands of ArjoHuntleigh, GETINGE and MAQUET. **ArjoHuntleigh** focuses on patient mobility and wound management solutions. **GETINGE** provides solutions for infection control within healthcare and contamination prevention within life sciences. **MAQUET** specializes in solutions, therapies and products for surgical interventions, interventional cardiology and intensive care.

ArjoHuntleigh Inc.

