

Electrolyte solution

PEDIALYTE ADVANCEDCARE is an advanced rehydration solution specially formulated with PreActiv® Prebiotics to help promote digestive health. With an optimal balance of sugar and electrolytes, it helps replenish vital fluids and minerals which, when lost, can lead to dehydration. It can help prevent mild to moderate dehydration caused by vomiting, diarrhea, exercise, travel, and heat exhaustion. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.



Features

- #1 Pediatrician & Pharmacist recommended brand for hydration.
- Has PreActiv® Prebiotics to promote digestive health.
- · Quickly replaces fluids and electrolytes.
- Designed to prevent mild to moderate dehydration more effectively than household beverages like sports drinks, juice, and soda.
- Has glucose to promote sodium and water absorption.
- Kid-approved taste encourages compliance in children.
- Available in a variety of flavors.
- · Low osmolality.
- · Contains no fruit juice.
- · Kosher.
- · Halal (certain flavors).
- Gluten-free.

Safety Precautions

- No mixing or diluting is necessary or recommended.
- For children under 1 year of age, consult your doctor.
- Not suitable for people with galactosemia.



List Number Item

63059 Pedialyte AdvancedCare Blue Raspberry / 33.8 fl oz (1 L) Bottle / 8 ct

Ingredients

Blue Raspberry Liquid

Water, Dextrose, Galactooligosaccharides. Less than 0.5% of: Citric Acid, Potassium Citrate, Salt, Natural & Artificial Flavors, Sodium Citrate, Sucralose, Acesulfame Potassium, Zinc Gluconate, Blue 1, Red 40, and Sodium Selenate.

Contains milk ingredients.

	12 fl oz (360 mL)		33.8 fl oz (1 L)	
	Value	%DV*	Value	%DV*
Calories	35		100	
Total Fat, g	0	0	0	0
0-4	070	10	1000	45

Sodium, mg	3/0	16	1030	45
Total Carbohydrate, g	10	4	28	10
Dietary Fiber, g	<1	2	2	7
Total Sugars, g	7		19	
Added Sugars, g	7	14	18	36
Protein, g	0	0	0	0
Potassium, mg	280	6	780	15
Zinc, mg	2.8	25	7.8	70
Selenium, mcg	11	20	31	56
Chloride, mg	440	20	1240	50

*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. Not a significant source of saturated fat, trans fat, cholesterol, vitamin D, calcium and iron.

*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. Not a significant source of saturated fat, trans fat, cholesterol, vitamin D, calcium and iron.

Preparation

Instructions for Use:

Ready to use.

- Do not add water or dilute.
- Tastes best served cold.

Usage

- For infants under 1 year of age: Consult your doctor.
- To rehydrate after fluid loss: begin with small frequent sips. 1-2 liters per day may be needed while symptoms persist. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters per day.
- For general rehydration: sip as needed.

- Do not use if printed band around cap or inner foil seal is missing or broken.
- Remove protective band and twist off cap.
- Remove and throw away protective foil seal.
- After opening, replace cap, refrigerate and use within 48 hours.
- Store unopened bottles in a cool place. Avoid excessive heat.
- Do not reuse bottle.



Electrolyte solution

PEDIALYTE ADVANCEDCARE is an advanced rehydration solution specially formulated with PreActiv® Prebiotics to help promote digestive health. With an optimal balance of sugar and electrolytes, it helps replenish vital fluids and minerals which, when lost, can lead to dehydration. It can help prevent mild to moderate dehydration caused by vomitting, diarrhea, exercise, travel, and heat exhaustion. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.



Features	
realules	

- #1 Pediatrician & Pharmacist recommended brand for hydration.
- Has PreActiv[®] Prebiotics to promote digestive health.
- · Quickly replaces fluids and electrolytes.
- Designed to prevent mild to moderate dehydration more effectively than household beverages like sports drinks, juice, and soda.
- · Has glucose to promote sodium and water absorption.
- · Kid-approved taste encourages compliance in children.
- · Available in a variety of flavors.
- · Low osmolality.
- · Contains no fruit juice.
- · Kosher.
- Halal (certain flavors).
- · Gluten-free.

Safety Precautions

- · No mixing or diluting is necessary or recommended.
- For children under 1 year of age, consult your doctor.
- Not suitable for people with galactosemia.



Ingredients

Cherry Punch Liquid

Water, Dextrose, Galactooligosaccharides. Less than 0.5% of: Citric Acid, Natural & Artificial Flavors, Potassium Citrate, Salt, Sodium Citrate, Sucralose, Acesulfame Potassium, Zinc Gluconate, Red 40, and Sodium Selenate.

Contains milk ingredients.

	12 fl oz (360 mL)		12 fl oz (360 mL) 33.8 fl oz (1 L)		oz (1 L)
	Value	%DV*	Value	%DV*	
Calories	35		100		
Total Fat, g	0	0	0	0	
0	070	40	4000	45	

Sodium, mg	3/0	16	1030	45
Total Carbohydrate, g	10	4	28	10
Dietary Fiber, g	<1	2	2	7
Total Sugars, g	7		19	
Added Sugars, g	7	14	18	36
Protein, g	0	0	0	0
Potassium, mg	280	6	780	15
Zinc, mg	2.8	25	7.8	70
Selenium, mcg	11	20	31	56
Chloride, mg	440	20	1240	50

*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. Not a significant source of saturated fat, trans fat, cholesterol, vitamin D, calcium and iron.

*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. Not a significant source of saturated fat, trans fat, cholesterol, vitamin D, calcium and iron.



Instructions for Use:

Ready to use.

- Do not add water or dilute.
- Tastes best served cold.

Usage

- For infants under 1 year of age: Consult your doctor.
- To rehydrate after fluid loss: begin with small frequent sips. 1-2 liters per day may be needed while symptoms persist. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters per day.
- For general rehydration: sip as needed.

- Do not use if printed band around cap or inner foil seal is missing or broken.
- Remove protective band and twist off cap.
- Remove and throw away protective foil seal.
- After opening, replace cap, refrigerate and use within 48 hours.
- Store unopened bottles in a cool place. Avoid excessive heat.
- Do not reuse bottle



Electrolyte solution

PEDIALYTE ADVANCEDCARE is an advanced rehydration solution specially formulated with PreActiv® Prebiotics to help promote digestive health. With an optimal balance of sugar and electrolytes, it helps replenish vital fluids and minerals which, when lost, can lead to dehydration. It can help prevent mild to moderate dehydration caused by vomiting, diarrhea, exercise, travel, and heat exhaustion. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.




Features

- #1 Pediatrician & Pharmacist recommended brand for hydration.
- · Has PreActiv® Prebiotics to promote digestive health.
- · Quickly replaces fluids and electrolytes.
- Designed to prevent mild to moderate dehydration more effectively than household beverages like sports drinks, juice, and soda.
- · Has glucose to promote sodium and water absorption.
- · Kid-approved taste encourages compliance in children.
- · Available in a variety of flavors.
- Low osmolality.
- · Contains no fruit juice.
- Kosher.
- Halal (certain flavors).
- · Gluten-free.

Safety Precautions

- No mixing or diluting is necessary or recommended.
- · For children under 1 year of age, consult your doctor.
- · Not suitable for people with galactosemia



Ingredients

Tropical Fruit Liquid

Water, Dextrose, Galactooligosaccharides. Less than 0.5% of: Citric Acid, Potassium Citrate, Salt, Natural & Artificial Flavors, Sodium Citrate, Sucralose, Acesulfame Potassium, Zinc Gluconate, Yellow 6, and Sodium Selenate.

Contains milk ingredients.

	12 fl oz (360 mL)		nL) 33.8 fl oz (1 L)	
	Value	%DV*	Value	%DV*
Calories	35		100	
Total Fat, g	0	0	0	0
0 - 41	070	10	1000	45

Soaium, mg	3/0	Ίb	1030	45
Total Carbohydrate, g	10	4	28	10
Dietary Fiber, g	<1	2	2	7
Total Sugars, g	7		19	
Added Sugars, g	7	14	18	36
Protein, g	0	0	0	0
Potassium, mg	280	6	780	15
Zinc, mg	2.8	25	7.8	70
Selenium, mcg	11	20	31	56
Chloride, mg	440	20	1240	50

'The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. Not a significant source of saturated fat, trans fat, cholesterol, vitamin D, calcium and iron.

*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. Not a significant source of saturated fat, trans fat, cholesterol, vitamin D, calcium and iron.



Instructions for Use:

Ready to use.

- Do not add water or dilute.
- Tastes best served cold.

Usage

- For infants under 1 year of age: Consult your doctor.
- To rehydrate after fluid loss: begin with small frequent sips. 1-2 liters per day may be needed while symptoms persist. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters per day.
- For general rehydration: sip as needed.

- Do not use if printed band around cap or inner foil seal is missing or broken.
- Remove protective band and twist off cap.
- \bullet Remove and throw away protective foil seal.
- After opening, replace cap, refrigerate and use within 48 hours.
- Store unopened bottles in a cool place. Avoid excessive heat.
- Do not reuse bottle.



Electrolyte solution

PEDIALYTE ADVANCEDCARE is an advanced rehydration solution specially formulated with PreActiv® Prebiotics to help promote digestive health. With an optimal balance of sugar and electrolytes, it helps replenish vital fluids and minerals which, when lost, can lead to dehydration. It can help prevent mild to moderate dehydration caused by vomiting, diarrhea, exercise, travel, and heat exhaustion. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.



Features

- #1 Pediatrician & Pharmacist recommended brand for hydration.
- Has PreActiv[®] Prebiotics to promote digestive health.
- · Quickly replaces fluids and electrolytes.
- Designed to prevent mild to moderate dehydration more effectively than household beverages like sports drinks, juice, and soda.
- Has glucose to promote sodium and water absorption.
- · Kid-approved taste encourages compliance in children.
- Available in a variety of flavors.
- · Low osmolality.
- Contains no fruit juice.
- Kosher.
- · Halal (certain flavors).
- · Gluten-free.

Safety Precautions

- · No mixing or diluting is necessary or recommended.
- For children under 1 year of age, consult your doctor.
- Not suitable for people with galactosemia.



Ingredients

Strawberry Lemonade Liquid

Water, Dextrose, Galactooligosaccharides. Less than 0.5% of: Citric Acid, Potassium Citrate, Salt, Natural & Artificial Flavors, Sodium Citrate, Sucralose, Acesulfame Potassium, Zinc Gluconate, Red 40, Blue 1, and Sodium Selenate.

Contains milk ingredients.

	12 fl oz (12 fl oz (360 mL)		oz (1 L)
	Value	%DV*	Value	%DV*
Calories	35		100	
Total Fat, g	0	0	0	0
0	070	40	4000	45

Soaium, mg	3/0	16	1030	45
Total Carbohydrate, g	10	4	28	10
Dietary Fiber, g	<1	2	2	7
Total Sugars, g	7		19	
Added Sugars, g	7	14	18	36
Protein, g	0	0	0	0
Potassium, mg	280	6	780	15
Zinc, mg	2.8	25	7.8	70
Selenium, mcg	11	20	31	56
Chloride, mg	440	20	1240	50

*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. Not a significant source of saturated fat, trans fat, cholesterol, vitamin D, calcium and iron.

*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. Not a significant source of saturated fat, trans fat, cholesterol, vitamin D, calcium and iron.



Instructions for Use:

Ready to use.

- Do not add water or dilute.
- Tastes best served cold.

Usage

- For infants under 1 year of age: Consult your doctor.
- To rehydrate after fluid loss: begin with small frequent sips. 1-2 liters per day may be needed while symptoms persist. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters per day.
- For general rehydration: sip as needed.

- Do not use if printed band around cap or inner foil seal is missing or broken.
- Remove protective band and twist off cap.
- Remove and throw away protective foil seal.
- After opening, replace cap, refrigerate and use within 48 hours.
- Store unopened bottles in a cool place. Avoid excessive heat.
- Do not reuse bottle.