

# Pedialyte AdvancedCare® Plus

## Electrolyte solution

PEDIALYTE ADVANCEDCARE PLUS is formulated with 33% more electrolytes\* to replenish more of the electrolytes lost due to vomiting, diarrhea, or extreme perspiration caused by excessive heat or prolonged exercise. It also has PreActiv® Prebiotics to help promote digestive health. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.

\* 60 mEq sodium electrolytes per liter vs 45 mEq in original Pedialyte.



### Features

- #1 Pediatrician & Pharmacist recommended brand for hydration.
- Formulated for higher electrolyte loss.
- PreActiv® Prebiotics to help promote digestive health.
- Quickly replaces fluids and electrolytes.
- Designed to help prevent mild to moderate dehydration more effectively than household beverages like sports drinks, juice, and soda.
- Has glucose to promote sodium and water absorption.
- Available in five flavors.
- Kid-approved taste encourages compliance in children.
- Low osmolality.
- Contains no fruit juice.
- Kosher.
- Halal.
- Gluten-free.

### Safety Precautions

- No mixing or diluting is necessary or recommended.
- For children under 1 year of age, consult your doctor.
- Not suitable for people with galactosemia.

### Availability

List Number	Item
67434	Pedialyte AdvancedCare Plus Orange Breeze / 33.8 fl oz (1 L) Bottle / 4 ct

### Ingredients

#### Orange Breeze Liquid

Water, Dextrose, Galactooligosaccharides. Less than 0.5% of: Salt, Citric Acid, Potassium Citrate, Sodium Citrate, Natural & Artificial Flavors, Sucralose, Acesulfame Potassium, Zinc Gluconate, and Yellow 6.

Contains milk ingredients.

### Nutrition Information

	12 fl oz (360 mL)		33.8 fl oz (1 L)	
	Value	%DV*	Value	%DV*
Calories	35		100	
Total Fat, g	0	0	0	0

Sodium, mg	490	21	1380	60
Total Carbohydrate, g	10	4	27	10
Dietary Fiber, g	<1	2	2	7
Total Sugars, g	7		19	
Protein, g	0		0	0
Added Sugars, g	7	14	18	36
Potassium, mg	280	6	780	15
Zinc, mg	2.8	25	7.8	70
Chloride, mg	630	25	1770	80

\*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. Not a significant source of saturated fat, trans fat, cholesterol, vitamin D, calcium and iron.

\*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. Not a significant source of saturated fat, trans fat, cholesterol, vitamin D, calcium and iron.

## Preparation

### Instructions for Use:

- For children under 1 year of age: consult your doctor.
- To rehydrate after fluid loss: begin with small frequent sips. 1-2 liters per day may be needed while symptoms persist. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters per day.
- For general rehydration: sip as needed.

### Instructions for Storage:

- Do not use if printed band around cap or inner foil seal is missing or broken.
- Remove protective band and twist off cap.
- Remove and throw away protective foil seal.
- After opening, replace cap, refrigerate and use within 48 hours.
- Store unopened bottles in a cool place. Avoid excessive heat.
- Do not reuse bottle.

## Pedialyte AdvancedCare<sup>®</sup> Plus

### Electrolyte solution

PEDIALYTE ADVANCEDCARE PLUS is formulated with 33% more electrolytes\* to replenish more of the electrolytes lost due to vomiting, diarrhea, or extreme perspiration caused by excessive heat or prolonged exercise. It also has PreActiv<sup>®</sup> Prebiotics to help promote digestive health. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.

\* 60 mEq sodium electrolytes per liter vs 45 mEq in original Pedialyte.



### Features

- #1 Pediatrician & Pharmacist recommended brand for hydration.
- Formulated for higher electrolyte loss.
- PreActiv<sup>®</sup> Prebiotics to help promote digestive health.
- Quickly replaces fluids and electrolytes.
- Designed to help prevent mild to moderate dehydration more effectively than household beverages like sports drinks, juice, and soda.
- Has glucose to promote sodium and water absorption.
- Available in five flavors.
- Kid-approved taste encourages compliance in children.
- Low osmolality.
- Contains no fruit juice.
- Kosher.
- Halal.
- Gluten-free.

### Safety Precautions

- No mixing or diluting is necessary or recommended.
- For children under 1 year of age, consult your doctor.
- Not suitable for people with galactosemia.

### Availability

List Number	Item
66855	Pedialyte AdvancedCare Plus Iced Grape / 33.8 fl oz (1 L) Bottle / 4 ct

### Ingredients

#### Iced Grape Liquid

Water, Dextrose, Galactooligosaccharides. Less than 0.5% of: Salt, Citric Acid, Potassium Citrate, Sodium Citrate, Artificial Flavor, Sucralose, Acesulfame Potassium, Zinc Gluconate, Red 40, and Blue 1.

Contains milk ingredients.

### Nutrition Information

	12 fl oz (360 mL)		33.8 fl oz (1 L)	
	Value	%DV*	Value	%DV*
Calories	35		100	0
Total Fat, g	0	0	0	0

Sodium, mg	490	21	1380	60
Total Carbohydrate, g	10	4	28	10
Dietary Fiber, g	<1	2	2	7
Total Sugars, g	7		19	
Protein, g	0		0	
Added Sugars, g	6	14	18	36
Potassium, mg	280	6	780	15
Zinc, mg	2.8	25	7.8	70
Chloride, mg	630	25	1770	80

\*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. Not a significant source of saturated fat, trans fat, cholesterol, vitamin D, calcium and iron.

\*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. Not a significant source of saturated fat, trans fat, cholesterol, vitamin D, calcium and iron.

## Preparation

### Instructions for Use:

- For children under 1 year of age: consult your doctor.
- To rehydrate after fluid loss: begin with small frequent sips. 1-2 liters per day may be needed while symptoms persist. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters per day.
- For general rehydration: sip as needed.

### Instructions for Storage:

- Do not use if printed band around cap or inner foil seal is missing or broken.
- Remove protective band and twist off cap.
- Remove and throw away protective foil seal.
- After opening, replace cap, refrigerate and use within 48 hours.
- Store unopened bottles in a cool place. Avoid excessive heat.
- Do not reuse bottle.

# Pedialyte AdvancedCare® Plus

## Electrolyte solution

PEDIALYTE ADVANCEDCARE PLUS is formulated with 33% more electrolytes\* to replenish more of the electrolytes lost due to vomiting, diarrhea, or extreme perspiration caused by excessive heat or prolonged exercise. It also has PreActiv® Prebiotics to help promote digestive health. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.

\* 60 mEq sodium electrolytes per liter vs 45 mEq in original Pedialyte.



### Features

- #1 Pediatrician & Pharmacist recommended brand for hydration.
- Formulated for higher electrolyte loss.
- PreActiv® Prebiotics to help promote digestive health.
- Quickly replaces fluids and electrolytes.
- Designed to help prevent mild to moderate dehydration more effectively than household beverages like sports drinks, juice, and soda.
- Has glucose to promote sodium and water absorption.
- Available in five flavors.
- Kid-approved taste encourages compliance in children.
- Low osmolality.
- Contains no fruit juice.
- Kosher.
- Halal.
- Gluten-free.

### Safety Precautions

- No mixing or diluting is necessary or recommended.
- For children under 1 year of age, consult your doctor.
- Not suitable for people with galactosemia.

### Availability

List Number	Item
66645	Pedialyte AdvancedCare Plus Chilled Cherry Pomegranate / 33.8 fl oz (1 L) Bottle / 4 ct

### Ingredients

#### Chilled Cherry Pomegranate Liquid

Water, Dextrose, Galactooligosaccharides. Less than 0.5% of: Salt, Citric Acid, Potassium Citrate, Sodium Citrate, Natural & Artificial Flavors, Sucralose, Acesulfame Potassium, Zinc Gluconate, Red 40, and Blue 1.

Contains milk ingredients.

### Nutrition Information

	12 fl oz (360 mL)		33.8 fl oz (1 L)	
	Value	%DV*	Value	%DV*
Calories	35		100	
Total Fat, g	0	0	0	0

Sodium, mg	490	21	1380	60
Total Carbohydrate, g	10	4	28	10
Dietary Fiber, g	<1	2	2	7
Total Sugars, g	7		19	
Protein, g	0		0	
Added Sugars, g	6	14	18	36
Potassium, mg	280	6	780	15
Zinc, mg	2.8	25	7.8	70
Chloride, mg	630	25	1770	80

\*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. Not a significant source of saturated fat, trans fat, cholesterol, vitamin D, calcium and iron.

\*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. Not a significant source of saturated fat, trans fat, cholesterol, vitamin D, calcium and iron.

Preparation

**Instructions for Use:**

- For children under 1 year of age: consult your doctor.
- To rehydrate after fluid loss: begin with small frequent sips. 1-2 liters per day may be needed while symptoms persist. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters per day.
- For general rehydration: sip as needed.

**Instructions for Storage:**

- Do not use if printed band around cap or inner foil seal is missing or broken.
- Remove protective band and twist off cap.
- Remove and throw away protective foil seal.
- After opening, replace cap, refrigerate and use within 48 hours.
- Store unopened bottles in a cool place. Avoid excessive heat.
- Do not reuse bottle.

# Pedialyte AdvancedCare<sup>®</sup> Plus

Electrolyte solution

PEDIALYTE ADVANCEDCARE PLUS is formulated with 33% more electrolytes<sup>1</sup> to replenish more of the electrolytes lost due to vomiting, diarrhea, or extreme perspiration caused by excessive heat or prolonged exercise. It also has PreActiv<sup>®</sup> Prebiotics to help promote digestive health. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.

<sup>1</sup> 60 mEq sodium electrolytes per liter vs 45 mEq in original Pedialyte.



## Features

- #1 Pediatrician & Pharmacist recommended brand for hydration.
- Formulated for higher electrolyte loss.
- PreActiv<sup>®</sup> Prebiotics to help promote digestive health.
- Quickly replaces fluids and electrolytes.
- Designed to help prevent mild to moderate dehydration more effectively than household beverages like sports drinks, juice, and soda.
- Has glucose to promote sodium and water absorption.
- Available in five flavors.
- Kid-approved taste encourages compliance in children.
- Low osmolality.
- Contains no fruit juice.
- Kosher.
- Halal.
- Gluten-free.

## Safety Precautions

- No mixing or diluting is necessary or recommended.
- For children under 1 year of age, consult your doctor.
- Not suitable for people with galactosemia.

## Availability

List Number	Item
66643	Pedialyte AdvancedCare Plus Kiwi Berry / 33.8 fl oz (1 L) Bottle / 4 ct

## Ingredients

### Kiwi Berry Mist Liquid

Water, Dextrose, Galactooligosaccharides. Less than 0.5% of: Salt, Citric Acid, Potassium Citrate, Natural Flavors, Sodium Citrate, Sucralose, Acesulfame Potassium, Zinc Gluconate, Yellow 6, and Blue 1.

Contains milk ingredients.

## Nutrition Information

	12 fl oz (360 mL)		33.8 fl oz (1 L)	
	Value	%DV*	Value	%DV*
Calories	35		100	
Total Fat, g	0	0	0	0

Sodium, mg	490	21	1380	60
Total Carbohydrate, g	10	4	28	10
Dietary Fiber, g	<1	2	2	7
Total Sugars, g	7		19	
Protein, g	0		0	
Added Sugars, g	6	14	18	36
Potassium, mg	280	6	780	15
Zinc, mg	2.8	25	7.8	70
Chloride, mg	630	25	1770	80

\*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. Not a significant source of saturated fat, trans fat, cholesterol, vitamin D, calcium and iron.

\*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. Not a significant source of saturated fat, trans fat, cholesterol, vitamin D, calcium and iron.

## Preparation

### Instructions for Use:

- For children under 1 year of age: consult your doctor.
- To rehydrate after fluid loss: begin with small frequent sips. 1-2 liters per day may be needed while symptoms persist. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters per day.
- For general rehydration: sip as needed.

### Instructions for Storage:

- Do not use if printed band around cap or inner foil seal is missing or broken.
- Remove protective band and twist off cap.
- Remove and throw away protective foil seal.
- After opening, replace cap, refrigerate and use within 48 hours.
- Store unopened bottles in a cool place. Avoid excessive heat.
- Do not reuse bottle.



# Pedialyte AdvancedCare® Plus

## Electrolyte solution

PEDIALYTE ADVANCEDCARE PLUS is formulated with 33% more electrolytes\* to replenish more of the electrolytes lost due to vomiting, diarrhea, or extreme perspiration caused by excessive heat or prolonged exercise. It also has PreActiv® Prebiotics to help promote digestive health. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.

\* 60 mEq sodium electrolytes per liter vs 45 mEq in original Pedialyte.



### Features

- #1 Pediatrician & Pharmacist recommended brand for hydration.
- Formulated for higher electrolyte loss.
- PreActiv® Prebiotics to help promote digestive health.
- Quickly replaces fluids and electrolytes.
- Designed to help prevent mild to moderate dehydration more effectively than household beverages like sports drinks, juice, and soda.
- Has glucose to promote sodium and water absorption.
- Available in five flavors.
- Kid-approved taste encourages compliance in children.
- Low osmolality.
- Contains no fruit juice.
- Kosher.
- Halal.
- Gluten-free.

### Safety Precautions

- No mixing or diluting is necessary or recommended.
- For children under 1 year of age, consult your doctor.
- Not suitable for people with galactosemia.

### Availability

List Number	Item
66641	Pedialyte AdvancedCare Plus Berry Frost / 33.8 fl oz (1 L) Bottle / 4 ct

### Ingredients

#### Berry Frost Liquid

Water, Dextrose, Galactooligosaccharides. Less than 0.5% of: Salt, Citric Acid, Potassium Citrate, Natural & Artificial Flavors, Sodium Citrate, Sucralose, Acesulfame Potassium, Zinc Gluconate, and Blue 1.

Contains milk ingredients.

### Nutrition Information

	12 fl oz (360 mL)		33.8 fl oz (1 L)	
	Value	%DV*	Value	%DV*
Calories	35		100	
Total Fat, g	0	0	0	0

Sodium, mg	490	21	1380	60
Total Carbohydrate, g	10	4	28	10
Dietary Fiber, g	<1	2	2	7
Total Sugars, g	7		19	
Protein, g	0		0	0
Added Sugars, g	7	14	18	36
Potassium, mg	280	6	780	15
Zinc, mg	2.8	25	7.8	70
Chloride, mg	630	25	1770	80

\*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. Not a significant source of saturated fat, trans fat, cholesterol, vitamin D, calcium and iron.

\*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. Not a significant source of saturated fat, trans fat, cholesterol, vitamin D, calcium and iron.

## Preparation

### Instructions for Use:

- For children under 1 year of age: consult your doctor.
- To rehydrate after fluid loss: begin with small frequent sips. 1-2 liters per day may be needed while symptoms persist. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters per day.
- For general rehydration: sip as needed.

### Instructions for Storage:

- Do not use if printed band around cap or inner foil seal is missing or broken.
- Remove protective band and twist off cap.
- Remove and throw away protective foil seal.
- After opening, replace cap, refrigerate and use within 48 hours.
- Store unopened bottles in a cool place. Avoid excessive heat.
- Do not reuse bottle.