

Pedialyte® Powder Packs 17 g

Electrolyte powder

PEDIALYTE POWDER PACKS are an advanced rehydration solution specially formulated with an optimal balance of sugar and electrolytes needed to help replenish vital fluids and minerals which, when lost, can lead to dehydration. They can help prevent mild to moderate dehydration caused by vomiting, diarrhea, exercise, travel, and heat exhaustion. Mix with 16 fl oz of water. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.



Features

- #1 Pediatrician & Pharmacist recommended brand for hydration.
- Convenient for on-the-go.
- Quickly replaces fluids and electrolytes.
- Designed to prevent mild to moderate dehydration more effectively than household beverages like sports drinks, juice, and soda.
- Has glucose to promote sodium and water absorption.
- Kid-approved taste encourages compliance in children.
- Available in a variety of flavors.
- Low osmolality.
- Contains no fruit juice.
- Kosher.
- Halal.
- Gluten-free.
- Lactose-free.

Safety Precautions

- Not for use for children under 1 year of age.

Availability

List Number	Item
64595	Pedialyte Powder Cherry / 0.6 oz (17 g) Packet / 6 x 6 ct

Ingredients

Cherry Powder

Anhydrous Dextrose, Citric Acid, Potassium Citrate, Salt, Sodium Citrate. Less than 2% of: Natural & Artificial Flavor, Calcium Silicate, Acesulfame Potassium, Sucralose, and Red 40.

Nutrition Information

	17 g (1 Packet)	
	Value	%DV*
Calories	50	
Total Fat, g	0	0
Sodium, mg	490	21
Total Carbohydrate, g	12	4

Pedialyte® Powder Packs 17 g

Total Sugars, g	12	
Added Sugars, g	12	24
Protein, g	0	
Potassium, mg	370	8
Chloride, mg	590	25

*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. -- Not a significant source of saturated fat, trans fat, cholesterol, dietary fiber, vitamin D, calcium and iron.

Preparation

Instructions for Use:

- Mix one packet of Pedialyte Powder with 16 fl oz water only. Stir or shake to dissolve.
- Tastes best served cold.
- Begin with small frequent sips every 15 minutes; increasing serving size as tolerated. Continue to use for as long as symptoms are present.
- To maintain proper hydration, 2-4 servings (32 to 64 fl oz) of Pedialyte may be needed per day. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters (64 fl oz) per day.

Storage & Handling

Instructions for Use:

- Store unused reconstituted product in sealed container in refrigerator for **up to 48 hours**.
- Do not store powder packets at extreme temperatures.

Pedialyte® Powder Packs 17 g

Electrolyte powder

PEDIALYTE POWDER PACKS are an advanced rehydration solution specially formulated with an optimal balance of sugar and electrolytes needed to help replenish vital fluids and minerals which, when lost, can lead to dehydration. They can help prevent mild to moderate dehydration caused by vomiting, diarrhea, exercise, travel, and heat exhaustion. Mix with 16 fl oz of water. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.



Features

- #1 Pediatrician & Pharmacist recommended brand for hydration.
- Convenient for on-the-go.
- Quickly replaces fluids and electrolytes.
- Designed to prevent mild to moderate dehydration more effectively than household beverages like sports drinks, juice, and soda.
- Has glucose to promote sodium and water absorption.
- Kid-approved taste encourages compliance in children.
- Available in a variety of flavors.
- Low osmolality.
- Contains no fruit juice.
- Kosher.
- Halal.
- Gluten-free.
- Lactose-free.

Safety Precautions

- Not for use for children under 1 year of age.

Availability

List Number	Item
64598	Pedialyte Powder Grape / 0.6 oz (17 g) Packet / 6 x 6 ct

Ingredients

Grape Powder

Anhydrous Dextrose, Citric Acid, Potassium Citrate, Salt, Sodium Citrate. Less than 2% of: Natural & Artificial Flavor, Beet Powder Color, Calcium Silicate, Acesulfame Potassium, Sucralose, and Blue 1.

Nutrition Information

	17 g (1 Packet)	
	Value	%DV*
Calories	50	
Total Fat, g	0	0
Sodium, mg	490	21
Total Carbohydrate, g	12	4

Pedialyte® Powder Packs 17 g

Total Sugars, g	12	
Added Sugars, g	12	24
Protein, g	0	
Potassium, mg	370	8
Chloride, mg	590	25

*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. -- Not a significant source of saturated fat, trans fat, cholesterol, dietary fiber, vitamin D, calcium and iron.

Preparation

Instructions for Use:

- Mix one packet of Pedialyte Powder with 16 fl oz water only. Stir or shake to dissolve.
- Tastes best served cold.
- Begin with small frequent sips every 15 minutes; increasing serving size as tolerated. Continue to use for as long as symptoms are present.
- To maintain proper hydration, 2-4 servings (32 to 64 fl oz) of Pedialyte may be needed per day. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters (64 fl oz) per day.

Storage & Handling

Instructions for Use:

- Store unused reconstituted product in sealed container in refrigerator for **up to 48 hours**.
- Do not store powder packets at extreme temperatures.

Pedialyte® Powder Packs 17 g

Electrolyte powder

PEDIALYTE POWDER PACKS are an advanced rehydration solution specially formulated with an optimal balance of sugar and electrolytes needed to help replenish vital fluids and minerals which, when lost, can lead to dehydration. They can help prevent mild to moderate dehydration caused by vomiting, diarrhea, exercise, travel, and heat exhaustion. Mix with 16 fl oz of water. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.



Features

- #1 Pediatrician & Pharmacist recommended brand for hydration.
- Convenient for on-the-go.
- Quickly replaces fluids and electrolytes.
- Designed to prevent mild to moderate dehydration more effectively than household beverages like sports drinks, juice, and soda.
- Has glucose to promote sodium and water absorption.
- Kid-approved taste encourages compliance in children.
- Available in a variety of flavors.
- Low osmolality.
- Contains no fruit juice.
- Kosher.
- Halal.
- Gluten-free.
- Lactose-free.

Safety Precautions

- Not for use for children under 1 year of age.

Availability

List Number	Item
64177	Pedialyte Powder Orange / 0.6 oz (17 g) Packet / 6 x 6 ct

Ingredients

Orange Powder

Anhydrous Dextrose, Citric Acid, Potassium Citrate, Salt, Sodium Citrate, Natural & Artificial Flavor. Less than 2% of: Calcium Silicate, Acesulfame Potassium, Sucralose, and Yellow 6.

Nutrition Information

	17 g (1 Packet)	
	Value	%DV*
Calories	50	
Total Fat, g	0	0
Sodium, mg	490	21
Total Carbohydrate, g	12	4

Pedialyte® Powder Packs 17 g

Total Sugars, g	12	
Added Sugars, g	12	24
Protein, g	0	
Potassium, mg	370	8
Chloride, mg	590	25

*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. -- Not a significant source of saturated fat, trans fat, cholesterol, dietary fiber, vitamin D, calcium and iron.

Preparation

Instructions for Use:

- Mix one packet of Pedialyte Powder with 16 fl oz water only. Stir or shake to dissolve.
- Tastes best served cold.
- Begin with small frequent sips every 15 minutes; increasing serving size as tolerated. Continue to use for as long as symptoms are present.
- To maintain proper hydration, 2-4 servings (32 to 64 fl oz) of Pedialyte may be needed per day. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters (64 fl oz) per day.

Storage & Handling

Instructions for Use:

- Store unused reconstituted product in sealed container in refrigerator for **up to 48 hours**.
- Do not store powder packets at extreme temperatures.

Pedialyte® Powder Packs 17 g

Electrolyte powder

PEDIALYTE POWDER PACKS are an advanced rehydration solution specially formulated with an optimal balance of sugar and electrolytes needed to help replenish vital fluids and minerals which, when lost, can lead to dehydration. They can help prevent mild to moderate dehydration caused by vomiting, diarrhea, exercise, travel, and heat exhaustion. Mix with 16 fl oz of water. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.



Features

- #1 Pediatrician & Pharmacist recommended brand for hydration.
- Convenient for on-the-go.
- Quickly replaces fluids and electrolytes.
- Designed to prevent mild to moderate dehydration more effectively than household beverages like sports drinks, juice, and soda.
- Has glucose to promote sodium and water absorption.
- Kid-approved taste encourages compliance in children.
- Available in a variety of flavors.
- Low osmolality.
- Contains no fruit juice.
- Kosher.
- Halal.
- Gluten-free.
- Lactose-free.

Safety Precautions

- Not for use for children under 1 year of age.

Availability

List Number	Item
64172	Pedialyte Powder Strawberry Lemonade / 0.6 oz (17 g) Packet / 6 x 6 ct

Ingredients

Strawberry Lemonade Powder

Anhydrous Dextrose, Citric Acid, Potassium Citrate, Salt, Natural Flavors, Sodium Citrate. Less than 2% of: Calcium Silicate, Acesulfame Potassium, Sucralose, Red 40, and Blue 1.

Nutrition Information

	17 g (1 Packet)	
	Value	%DV*
Calories	50	
Total Fat, g	0	0
Sodium, mg	490	21
Total Carbohydrate, g	12	4

Pedialyte® Powder Packs 17 g

Total Sugars, g	12	
Added Sugars, g	12	24
Protein, g	0	
Potassium, mg	370	8
Chloride, mg	590	25

*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. -- Not a significant source of saturated fat, trans fat, cholesterol, dietary fiber, vitamin D, calcium and iron.

Preparation

Instructions for Use:

- Mix one packet of Pedialyte Powder with 16 fl oz water only. Stir or shake to dissolve.
- Tastes best served cold.
- Begin with small frequent sips every 15 minutes; increasing serving size as tolerated. Continue to use for as long as symptoms are present.
- To maintain proper hydration, 2-4 servings (32 to 64 fl oz) of Pedialyte may be needed per day. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters (64 fl oz) per day.

Storage & Handling

Instructions for Use:

- Store unused reconstituted product in sealed container in refrigerator for **up to 48 hours**.
- Do not store powder packets at extreme temperatures.