

Pedialyte® Powder Packs 8.5 g

Electrolyte powder

PEDIALYTE POWDER PACKS are an advanced rehydration solution specially formulated with an optimal balance of sugar and electrolytes needed to help replenish vital fluids and minerals which, when lost, can lead to dehydration. They can help prevent mild to moderate dehydration caused by vomiting, diarrhea, exercise, travel, and heat exhaustion. Mix with 8 fl oz of water. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.



	Features	
harmacist recommende	d brand for hydration.	

- #1 Pediatrician & Pl
- · Convenient for on-the-go.
- Quickly replaces fluids and electrolytes.
- Designed to prevent mild to moderate dehydration more effectively than household beverages like sports drinks, juice, and
- · Has glucose to promote sodium and water absorption.
- Kid-approved taste encourages compliance in children.
- Available in a variety pack (Fruit Punch, Grape, Apple, Strawberry).
- · Low osmolality.
- · Contains no fruit juice.
- Halal.
- Gluten-free.
- · Lactose-free

	Safety Precautions	
Not for use for children under 1 year of age.		
	Availability	
List Number	Item	
56090	Pedialyte Variety (2 ea Fr Punch, 6 / 8 x 8 ct	Grape, Apple, Strawberry) / 0.3 oz (8.5 g) Packet

Ingredients

Variety Powder

Fruit Punch (Anhydrous Dextrose, Citric Acid, Malic Acid, Potassium Citrate, Salt, Sodium Citrate; Less than 2% of: Natural & Artificial Flavor, Calcium Silicate, Sucralose, Acesulfame Potassium, Red 40), Grape (Anhydrous Dextrose, Citric Acid, Malic Acid, Potassium Citrate, Salt, Sodium Citrate; Less than 2% of: Natural & Artificial Flavor, Calcium Silicate, Sucralose, Acesulfame Potassium, Red 40, Blue 1), Apple (Anhydrous Dextrose, Citric Acid, Malic Acid, Potassium Citrate, Salt, Sodium Citrate; Less than 2% of: Artificial Flavor, Calcium Silicate, Caramel Color, Sucralose, Acesulfame Potassium), and Strawberry (Anhydrous Dextrose, Citric Acid, Malic Acid, Potassium Citrate, Salt, Sodium Citrate, Natural Flavor; Less than 2% of: Calcium Silicate, Sucralose, Acesulfame Potassium, Red 40, Blue 1).

9 g	
Value	%DV*
25	
0	
	Value 25

Total Carbohydrate, g	6	2
Total Sugars, g	6	
Added Sugars, g	6	12
Total Fat, g	0	0
Sodium, mg	240	10
Potassium, mg	180	4
Chloride, mg	290	15

*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. -- Not a significant source of saturated fat, trans fat, cholesterol, dietary fiber, vitamin D, calcium and iron.



Instructions for Use:

- Mix one packet of Pedialyte Powder with 8 fl oz (1 cup) water only. Stir or shake to dissolve.
- Tastes best served cold.
- For children 1 year and older and adults: Begin with small frequent sips every 15 minutes, increasing serving size as tolerated. Continue to use for as long as symptoms are present.
- To maintain proper hydration, 4-8 servings (32 to 64 fl oz) of Pedialyte may be needed per day. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters (64 fl oz) per day.



Instructions for Use:

- Store unused reconstituted product in sealed container in refrigerator for up to 24 hours.
- Do not store powder packets at extreme temperatures.