

The Everest & Jennings Transport Chair is designed as an affordable patient transfer device. Its compact size and lighter weight allow a companion to lift and store the chair with ease.



7 stylish color options










Features:

- Stylish color options of Red, Blue, Silver, Green, Pink, Aqua and Black
- Fold down back makes transport and storage easy
- Black, padded, Nylon upholstery is flame retardant
- 17" and 19" seat widths
- Carry straps on seat allow for ease of lifting and folding
- Footrests are industry compatible and offer easy tool free adjustment
- Full length padded arms provide user comfort
- Weighs 20 lb (w/o front rigging)
- Maximum Weight Capacity 250 lb - EVENLY DISTRIBUTED
- Designed to meet the requirements of Medicare code E1038

Warranty:

One (1) year limited warranty



Aluminum Transport Chair		Dimensions and Weights								
		Seat		Back	Overall			Wt.		
										
EJ781-1	Lightweight Aluminum - Red	17"	16"	19 ¼"	18 ½"	23"	39 ¼"	22 ¼"	10 ¾"	20 lb
EJ782-1	Lightweight Aluminum - Red	19"	16"	19 ¼"	18 ½"	23"	39 ¼"	24 ¼"	10 ¾"	20 lb
EJ783-1	Lightweight Aluminum - Silver	17"	16"	19 ¼"	18 ½"	23"	39 ¼"	22 ¼"	10 ¾"	20 lb
EJ784-1	Lightweight Aluminum - Silver	19"	16"	19 ¼"	18 ½"	23"	39 ¼"	24 ¼"	10 ¾"	20 lb
EJ787-1	Lightweight Aluminum - Blue	17"	16"	19 ¼"	18 ½"	23"	39 ¼"	22 ¼"	10 ¾"	20 lb
EJ788-1	Lightweight Aluminum - Blue	19"	16"	19 ¼"	18 ½"	23"	39 ¼"	24 ¼"	10 ¾"	20 lb
EJ789-1	Lightweight Aluminum - Green	17"	16"	19 ¼"	18 ½"	23"	39 ¼"	22 ¼"	10 ¾"	20 lb
EJ790-1	Lightweight Aluminum - Pink	17"	16"	19 ¼"	18 ½"	23"	39 ¼"	22 ¼"	10 ¾"	20 lb
EJ791-1	Lightweight Aluminum - Pink	19"	16"	19 ¼"	18 ½"	23"	39 ¼"	24 ¼"	10 ¾"	20 lb
EJ793-1	Lightweight Aluminum - Aqua	19"	16"	19 ¼"	18 ½"	23"	39 ¼"	24 ¼"	10 ¾"	20 lb
EJ785-1	Lightweight Aluminum - Black	17"	16"	19 ¼"	18 ½"	23"	39 ¼"	22 ¼"	10 ¾"	20 lb
EJ786-1	Lightweight Aluminum - Black	19"	16"	19 ¼"	18 ½"	23"	39 ¼"	24 ¼"	10 ¾"	20 lb

All dimensions are ±1/4"
*Without Front Rigging.

